

Hinweis zum Literaturverzeichnis

Alle angegebenen Internet-Links wurden überprüft (Recherchedatum 29.05.2009).

Allgemeine und Gefäßchirurgie

Cholezystektomie

Birth M, Keller R, Bruch H-P. Laparoskopische Cholezystektomie. *Viszeralchirurgie* 2003; 38: 72-76.

Höbling N, Pilz E, Feil W, Schiessel R. Laparoskopische Cholezystektomie – eine Metaanalyse von 23.700 Fällen und der Stellenwert im eigenen Patientenkollektiv. *Wien Klin Wochenschr* 1995; 107 (5): 158-162.

Ludwig K, Köckerling F, Hohenberger W, Lorenz D. Die chirurgische Therapie der Cholezysto-/Choledocholithiasis. Ergebnisse einer deutschlandweiten Umfrage an 859 Kliniken mit 123.090 Cholezystektomien. *Chirurg* 2001; 72 (10): 1171-1178.

Shea JA, Healey MJ, Berlin JA, Clarke JR, Malet PF, Staroscik RN, Schwartz JS, Williams SV. Mortality and Complications Associated with Laparoscopic Cholecystectomy. A Meta-Analysis. *Annals of Surgery* 1996; 224 (5): 609-620.

Karotis-Rekonstruktion

Asymptomatic Carotid Surgery Trial Collaborative Group (ACST). Prevention of disabling and fatal strokes by successful carotid endarterectomy in patients without recent neurological symptoms: randomised controlled trial. *Lancet* 2004; 363: 1491-1502.

Biller J, Feinberg WM, Castaldo JE, Whittemore AD, Harbaugh RE, Dempsey RJ, Caplan LR, Kresowik TF, Matchar DB, Toole JF, Easton JD, Adams HP Jr, Brass LM, Hobson RW, Brott TG, Sternau L. Guidelines for carotid endarterectomy: a statement for healthcare professionals from a Special Writing Group of the Stroke Council, American Heart Association (AHA). *Circulation* 1998; 97 (5): 501-509.

Eckstein HH. Operative Therapie extrakranieller Karotisstenosen. *Chirurg* 2004; 75: 93-110.

European Carotid Surgery Trialists' Collaborative Group (ECST). Analysis of pooled data from the randomised controlled trials of endarterectomy for symptomatic carotid stenosis. *Lancet* 2003; 361: 107-116.

European Carotid Surgery Trialists' Collaborative Group (ECST). Randomised trial of endarterectomy for recently symptomatic carotid stenosis: final results of the MRC European Carotid Surgery Trial (ECST). *Lancet* 1998; 351: 1379-1387.

Hennerici M, Daffertshofer M, Meairs S. Concerns about generalisation of premature ACAS recommendations for carotid endarterectomy. *Lancet* 1995; 346: 1041.

North American Symptomatic Carotid Endarterectomy Trial collaborators (NASCET). The appropriate use of carotid endarterectomy. *CMAJ* 2002; 166 (9): 1169-1179. www.ncbi.nlm.nih.gov/entrez/utils/fref.fcgi?PrId=3051&itol=AbstractPlus-def&uid=12000252&db=pubmed&url=http://www.cmaj.ca/cgi/pmidlookup?view=long&pmid=12000252

North American Symptomatic Carotid Endarterectomy Trial Collaborators (NASCET). Benefit of carotid endarterectomy in patients with symptomatic moderate or severe stenosis. *N Engl J Med* 1998; 339 (20): 1415-1425.

Rothwell PM, RJ Gibson, J Slattery, RJ Sellar and CP Warlow. Equivalence of measurements of carotid stenosis. A comparison of three methods on 1001 angiograms. European Carotid Surgery Trialists' Collaborative Group. *Stroke* 1994; 25: 2435-2439.

Innere Medizin/Kardiologie

Ambulant erworbene Pneumonie

Alberta Medical Association (AMA). Guideline for the diagnosis and management of community acquired pneumonia: adult. Update 2008. www.topalbertadoctors.org/PDF/complete%20set/Pneumonia_Community%20Acquired%20Adult/CAP_adult_guideline.pdf

British Thoracic Society (BTS). BTS Guidelines for the Management of Community Acquired pneumonia in Adults – 2004 Update. Published on BTS website on 30.04.2004. www.brit-thoracic.org.uk/Portals/0/Clinical%20Information/Pneumonia/Guidelines/MACAPrevisedApr04.pdf

European Respiratory Society (ERS). ERS Task Force in Collaboration with ESCMID. Guidelines for the management of adult lower respiratory tract infection. *European Respiratory Journal* 2005; 26: 1138-1180.

Halm EA, Fine MJ, Kapoor WN, Singer DE, Marrie TJ, Siu AL. Instability on Hospital Discharge and the Risk of Adverse Outcomes in Patients with Pneumonia. *Arch intern med* 2002; 162: 1278-1284.

Halm EA, Fine MJ, Marrie TJ, Coley CM, Kapoor WN, Obrosky DS, Singer DE. Time to Clinical Stability in Patients with Community-Acquired Pneumonia – Implications for Practice Guidelines. *JAMA* 1998; 279 (18): 1452-1457.

Höfken G, Lorenz J, Kern W, Welte T, Bauer T, Dalhoff K, Dietrich E, Ewig S, Gastmeier P, Grabeln B, Halle E, Kolditz M, Marre R, Sitter H. Epidemiologie, Diagnostik, antimikrobielle Therapie und Management von erwachsenen Patienten mit ambulant erworbenen tiefen Atemwegsinfektionen (akute Bronchitis, akute Exazerbation einer chronischen Bronchitis, Influenza und andere respiratorische Virusinfektionen) sowie ambulant erworbener Pneumonie. S3-Leitlinie der Paul-Ehrlich-Gesellschaft für Chemotherapie e.V., der Deutschen Gesellschaft für Pneumologie, der Deutschen Gesellschaft für Infektiologie und vom Kompetenznetzwerk CAPNETZ. *Chemotherapie-Journal* 2005; 14 (4): 97-155.

Infectious Diseases Society of America (IDSA), American Thoracic Society (ATS). Consensus Guidelines on the Management of Community-Acquired Pneumonia in Adults. *Clinical Infectious Diseases* 2007; 44: 27-72. www.journals.uchicago.edu/doi/pdf/10.1086/511159

Kohlhammer Y, Schwartz M, Raspe H, Schäfer T. Risikofaktoren für die ambulant erworbene Pneumonie (Community Acquired Pneumonia) – Eine systematische Übersichtsarbeit. *Dtsch med Wochenschr* 2005; 130: 381-386.

Kompetenznetz Ambulant erworbene Pneumonie (CAPNETZ). Was gibt es Neues in der Behandlung der ambulant erworbenen Pneumonie? *Medizinische Klinik* 2006; 101: 313-320.

Marrie TJ, Lau CY, Wheeler SL, Wong CJ, Vandervoort MK, Feagan BG. A controlled trial of a critical pathway for treatment of community-acquired pneumonia. CAPITAL Study Investigators. Community-Acquired Pneumonia Intervention Trial Assessing Levofloxacin. *JAMA* 2000; 283 (6): 749-755.

Meehan TP, Fine MJ, Krumholz HM, Scinto JD, Galusha DH, Mockalis JT, Weber GF, Perillo MK, Houck PM, Fine JM. Quality of Care, Process, and Outcomes in Elderly Patients With Pneumonia. *JAMA* 1997; 278 (23): 2080-2084.

Menéndez R, Torres A, Zalacaín R, Aspa J, Martín Villascargas JJ, Borderías L, Benítez Moya JM, Ruiz-Manzano J, Rodríguez de Castro F, Blanquer J, Pérez D, Puzo C, Sánchez Gascón, Gallardo J, Álvarez C, Molinos L (Neumofail Group). Risk Factors of treatment failure in community acquired pneumonia: implications for disease outcome. *Thorax* 2004; 59: 960-965.

Herzschrittmacher-Implantation

Culver DH, Horan TC, Gaynes RP, Martone WJ, Jarvis WR, Emori TG, Banerjee S, Edwards JR, Tolson JS, Henderson TS, Hughes JM. Surgical Wound Infection Rates By Wound Class, Operative Procedure, and Patient Risk Index. *The American Journal of Medicine* 1991; 91 (Suppl 3B): 152S-157S.

Fröhlig G. Warum, wann und wie sollte die rechtsventrikuläre Stimulation vermieden werden? *Herzschrittmachertherapie* 2004; 15: 165-176.

Lemke B, Nowak B, Pfeiffer D. Leitlinien zur Herzschrittmachertherapie. *Z Kardiologie* 2005; 94: 704-720.

Tantengco MVT, Thomas RL, Karpawich PP. Left Ventricular Dysfunction After Long-Term Right Ventricular Apical Pacing in the Young. *J Am Coll Cardiol* 2001; 37 (8): 2093-2100.

Herzschrittmacher-Aggregatwechsel

Brunner M, Olschewski M, Geibel A, Bode C, Zehender M. Long-term survival after pacemaker implantation: Prognostic importance of gender and baseline patient characteristics. *Eur Heart J* 2004; 25: 88-95.

Hildick-Smith DJR, Lowe MD, Newell SA, Schofield PM, Shapiro LM, Stone DL, Grace AA, Petch MC. Ventricular pacemaker upgrade: experience, complications and recommendations. *Heart* 1998; 79: 383-387.

Herzschrittmacher-Revision/-Systemwechsel/-Explantation

Møller M, Arnsbo P. Danish Pacemaker Register – Annual Report 2007. www.pacemaker.dk/stat2007.pdf

Uslan DZ, Baddour LM. Cardiac device infections: getting to the heart of the matter. *Curr Opin Infect Dis* 2006; 19 (4): 345-348.

Koronarangiographie und Perkutane Koronarintervention (PCI)

Anderson JL, Adams CD, Antman EM, Bridges CR, Califf RM, Casey DM Jr, Chavey WE, Fesmire FM, Hochman JS, Levin TN, Lincoff AM, Peterson ED, Theroux P, Wenger NK, Wright RS, Smith SC Jr, Jacobs AK, Adams CD, Anderson JL, Antman EM, Halperin JL, Hunt SA, Krumholz HM, Kushner FG, Lytle BW, Nishimura R, Ornato JP, Page RL, Riegel B. ACC/AHA 2007 Guidelines for the Management of Patients With Unstable Angina/Non ST-Elevation Myocardial Infarction.

Executive Summary: A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Revise the 2002 Guidelines for the Management of Patients With Unstable Angina/Non ST-Elevation Myocardial Infarction). Developed in Collaboration with the American College of Emergency Physicians, the Society for Cardiovascular Angiography and Interventions, and the Society of Thoracic Surgeons. Endorsed by the American Association of Cardiovascular and Pulmonary Rehabilitation and the Society for Academic Emergency Medicine. *J Am Coll Cardiol* 2007; 50 (7): 652-726.

Antman EM, Hand M, Armstrong PW, Bates ER, Green LA, Halasyamani LK, Hochman JS, Krumholz HM, Lamas GA, Mullany CJ, Pearle DL, Sloan MA, Smith SC Jr, Anbe DT, Kushner FG, Ornato JP, Pearle DL, Sloan MA, Jacobs AK, Adams CD, Anderson JL, Buller CE, Creager MA, Ettinger SM, Halperin JL, Hunt SA, Lytle BW, Nishimura R, Page RL, Riegel B, Tarkington LG, Yancy CW. 2007 focused update of the ACC/AHA 2004 guidelines for the management of patients with ST-elevation myocardial infarction: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. *J Am Coll Cardiol* 2008; 51 (2): 210-247.

Bassand JP, Hamm CW, Ardissino D, Boersma E, Budaj A, Fernandez-Aviles F, Fox KA, Hasdai D, Ohman EM, Wallentin L, Wijns W. Guidelines for the diagnosis and treatment of non-ST-segment elevation acute coronary syndromes. *Eur Heart J* 2007; 28 (13): 1598-1660.

Bonzel T, Erbel R, Hamm CW, Levenson B, Neumann FJ, Rupprecht HJ, Zahn R. Leitlinie Perkutane Koronarinterventionen (PCI). *Clin Res Cardiol* 2008; 97: 513-547.

Deutsche Gesellschaft für Medizinische Physik (DGMP). Diagnostische Referenzwerte für radiologische Untersuchungen. 2003. www.dgmp.de/Page_Service/Diagnostische_Referenzwerte_BFS_072003.pdf

Dietz R, Rauch B. Leitlinie zur Diagnose und Behandlung der chronischen koronaren Herzerkrankung der Deutschen Gesellschaft für Kardiologie – Herz- und Kreislaufforschung (DGK). *Z Kardiologie* 2003; 92 (6): 501-521.

Ellis SG, Weintraub W, Holmes D, Shaw R, Block PC, King SB 3rd. Relation of operator volume and experience to procedural outcome of percutaneous coronary revascularization at hospitals with high interventional volumes. *Circulation* 1997; 95 (11): 2479-2484.

Fraker TD Jr, Fihn SD, Gibbons RJ, Abrams J, Chatterjee K, Daley J, Deedwania PC, Douglas JS, Ferguson TB, Jr, Gardin JM, O'Rourke RA, Williams SV, Smith SC Jr, Jacobs AK, Adams CD, Anderson JL, Buller CE, Creager MA, Ettinger SM, Halperin JL, Hunt SA, Krumholz HM, Kushner FG, Lytle BW, Nishimura R, Page RL, Riegel B, Tarkington LG, Yancy CW. 2007 chronic angina focused update of the ACC/AHA 2002 guidelines for the management of patients with chronic stable angina: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines Writing Group to develop the focused update of the 2002 guidelines for the management of patients with chronic stable angina. *J Am Coll Cardiol* 2007; 50 (23): 2264-2274.

Gottwik M, Zeymer U, Schneider S, Senges J. Too many heart catheter procedures in Germany? *Dtsch Med Wochenschr* 2003; 128 (41): 2121-2124.

Hamm CW. Leitlinien: Akutes Koronarsyndrom (ACS) – Teil 1: ACS ohne persistierende ST-Hebung. *Z Kardiol* 2004a; 93 (1): 72-90.

Hamm CW. Leitlinien: Akutes Koronarsyndrom (ACS) – Teil 2: Akutes Koronarsyndrom mit ST-Hebung. *Z Kardiol* 2004b; 93: 324-341.

Hannan EL, Racz M, Ryan TJ, McCallister BD, Johnson LW, Arani DT, Guerci AD, Sosa J, Topol EJ. Coronary angioplasty volume-outcome relationships for hospitals and cardiologists. *JAMA* 1997; 277 (11): 892-898.

King SB 3rd, Smith SC Jr, Hirshfeld JW Jr, Jacobs AK, Morrison DA, Williams DO, Feldman TE, Kern MJ, O'Neill WW, Schaff HV, Whitlow PL, ACC/AHA/SCAI, Adams CD, Anderson JL, Buller CE, Creager MA, Ettinger SM, Halperin JL, Hunt SA, Krumholz HM, Kushner FG, Lytle BW, Nishimura R, Page RL, Riegel B, Tarkington LG, Yancy CW. 2007 focused update of the ACC/AHA/SCAI 2005 guideline update for percutaneous coronary intervention: a report of the American College of Cardiology/American Heart Association Task Force on Practice guidelines. *J Am Coll Cardiol* 2008; 51 (2): 172-209.

Levenson B, Albrecht A, Göhring St, Haerer W, Herholz H, Reifart N, Sauer G, Troger B, für das QuIK-Register des Bundesverbandes Niedergelassener Kardiologen (BNK). 5. Bericht des Bundesverbandes Niedergelassener Kardiologen zur Qualitätssicherung in der diagnostischen und therapeutischen Invasivkardiologie 2003-2005. *Herz* 2007; (1): 73-84.

Matheny ME, Ohno-Machado L, Resnic FS. Discrimination and calibration of mortality risk prediction models in interventional cardiology. *J Biomed Inform* 2005; 38 (5): 367-375.

Moscucci M, Kline-Rogers E, Share D, O'Donnell M, Maxwell-Eward A, Meengs WL, Kraft P, DeFranco AC, Chambers JL, Patel K, McGinnity JG, Eagle KA. Simple bedside additive tool for prediction of in-hospital mortality after percutaneous coronary interventions. *Circulation* 2001; 104 (3): 263-268.

O'Connor GT, Malenka DJ, Quinton H, Robb JF, Kellett MA Jr, Shubrooks S, Bradley WA, Hearne MJ, Watkins MW, Wennberg DE, Hettleman B, O'Rourke DJ, McGrath PD, Ryan T Jr, VerLee P. Multivariate prediction of in-hospital mortality after percutaneous coronary interventions in 1994-1996. Northern New England Cardiovascular Disease Study Group. *J Am Coll Cardiol* 1999; 34 (3): 681-691.

Pucelikova T, Dangas G, Mehran R. Contrast-induced Nephropathy. *Catheter Cardiovasc Interv* 2008; 71 (1): 62-72.

Shaw RE, Anderson HV, Brindis RG, Krone RJ, Klein LW, McKay CR, Block PC, Shaw LJ, Hewitt K, Weintraub WS, ACC-NCDR. Updated risk adjustment mortality model using the complete 1.1 dataset from the American College of Cardiology National Cardiovascular Data Registry (ACC-NCDR). *J Invasive Cardiol* 2003; 15 (10): 578-580.

Sheldon WC. Trends in Cardiac Catheterization Laboratories in the United States. *Catheterization and Cardiovascular Interventions* 2001; 53: 40-45.

Smith SC Jr, Feldman TE, Hirshfeld JW Jr, Jacobs AK, Kern MJ, King SB 3rd, Morrison DA, O'Neil WW, Schaff HV, Whitlow PL, Williams DO, Antman EM, Adams CD, Anderson JL, Faxon DP, Fuster V, Halperin JL, Hiratzka LF, Hunt SA, Nishimura R, Ornato JP, Page RL, Riegel B, American College of

Cardiology/American Heart Association Task Force on Practice Guidelines, ACC/AHA/SCAI Writing Committee to Update 2001 Guidelines for Percutaneous Coronary Intervention. ACC/AHA/SCAI 2005 guideline update for percutaneous coronary intervention: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (ACC/AHA/SCAI Writing Committee to Update 2001 Guidelines for Percutaneous Coronary Intervention). *Circulation* 2006; 113 (7): e166-e286.

Van de Werf F, Bax J, Betriu A, Blomstrom-Lundqvist C, Crea F, Falk V, Filippatos G, Fox K, Huber K, Kastrati A, Rosengren A, Steg PG, Tubaro M, Verheugt F, Weidinger F, Weis M, Vahanian A, Camm J, De Caterina R, Dean V, Dickstein K, Filippatos G, Funck-Brentano C, Hellemans I, Kristensen SD, McGregor K, Sechtem U, Silber S, Tendera M, Widimsky P, Zamorano JL, Silber S, Aguirre FV, Al Attar N, Alegria E, Andreotti F, Benzer W, Breithardt O, Danchin N, Di Mario C, Dudek D, Gulba D, Halvorsen S, Kaufmann P, Kornowski R, Lip GY, Rutten F. Management of acute myocardial infarction in patients presenting with persistent ST-segment elevation: the Task Force on the Management of ST-Segment Elevation Acute Myocardial Infarction of the European Society of Cardiology. *Eur Heart J* 2008; 29 (23): 2909-2945.

Wu C, Hannan EL, Walford G, Ambrose JA, Holmes DR Jr, King SB 3rd, Clark LT, Katz S, Sharma S, Jones RH. A risk score to predict in-hospital mortality for percutaneous coronary interventions. *J Am Coll Cardiol* 2006; 47 (3): 654-660.

Herzchirurgie

Koronarchirurgie, isoliert

Acinapura AJ, Rose DM, Jacobowitz JJ, Kramer MD, Robertazzi RR, Feldman J, Zisbrod Z, Cunningham JN. Internal mammary artery bypass grafting: influence on recurrent angina and survival in 2.100 patients. *Ann Thorac Surg* 1989; 48 (2): 186-191.

Culver DH, Horan TC, Gaynes RP, Martone WJ, Jarvis WR, Emori TG, Banerjee S, Edwards JR, Tolson JS, Henderson TS, Hughes JM. Surgical Wound Infection Rates By Wound Class, Operative Procedure, and Patient Risk Index. *The American Journal of Medicine* 1991; 91 (Suppl 3B): 152S-157S.

Eagle KA, Guyton RA, Davidoff R, Edwards FH, Ewy GA, Gardner TJ, Hart JC, Herrmann HC, Hillis LD, Hutter AM Jr, Lytle BW, Marlow RA, Nugent WC, Orszulak TA. ACC/AHA 2004 guideline update for coronary artery bypass graft surgery: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee to Update the 1999 Guidelines for Coronary Artery Bypass Graft Surgery). *Circulation* 2004; 110 (14): e340-e437.

Loop FD, Lytle BW, Cosgrove DM, Stewart RW, Goormastic M, Williams GW, Golding LA, Gill CC, Taylor PC, Sheldon WC. Influence of the internal-mammary-artery graft on 10-year survival and other cardiac events. *N Engl J Med* 1986; 314 (1): 1-6.

Aortenklappenchirurgie, isoliert

Charlesworth DC, Leavitt BJ, Dacey LJ, Helm RE, Braxton JH, Clough RA, Dunton RF, O'Connor GT. Long-term survival after cardiac surgery is predicted by estimated glomerular filtration rate. *Ann Thorac Surg* 2008; 86 (1): 4-11.

Ihle BU. Acute renal dysfunction after cardiac surgery: still a big problem! *Heart Lung Circ* 2007; 16 Suppl 3: S39-S44.

Mangano CM, Diamondstone LS, Ramsay JG, Aggarwal A, Herskowitz A, Mangano DT. Renal Dysfunction after Myocardial Revascularization: Risk Factors, Adverse Outcomes, and Hospital Resource Utilization. *Ann Intern Med* 1998; 128: 194-203.

Thakar CV, Worley S, Arrigain S, Yared JP, Paganini EP. Influence of renal dysfunction on mortality after cardiac surgery: modifying effect of preoperative renal function. *Kidney Int* 2005; 67 (3): 1112-1119.

Kombinierte Koronar- und Aortenklappenchirurgie

Roach GW, Kanchuger M, Mangano MC, Newman M, Nussmeier N, Wolman R, Aggarwal A, Marshall K, Graham SH, Ley C, Ozanne G, Mangano DT. Adverse Cerebral Outcomes after Coronary Bypass Surgery. *N Engl J Med* 1996; 335 (25): 1857-1863.

Transplantationsmedizin

Herztransplantation

International Society for Heart and Lung Transplantation (ISHLT). Introduction/General Statistics. 2008. www.isHLT.org/downloadables/introduction.ppt

Taylor DO, Edwards LB, Aurora P, Christie JD, Dobbels F, Kirk R, Rahmel AO, Kucheryavaya AY, Hertz MI. Registry of the International Society for Heart and Lung Transplantation: twenty-fifth official adult heart transplant report – 2008. *J Heart Lung Transplant* 2008; 27 (9): 943-956.

Lungen- und Herz-Lungen transplantation

Christie JD, Edwards LB, Aurora P, Dobbels F, Kirk R, Rahmel AO, Taylor DO, Kucheryavaya AY, Hertz MI. Registry of the International Society for Heart and Lung Transplantation: twenty-fifth official adult lung and heart/lung transplantation report 2008. *J Heart Lung Transplant* 2008; 27 (9): 957-969.

Deutsche Stiftung Organtransplantation (DSO). Organspende und Transplantation in Deutschland. Jahresbericht 2008. 2009. www.dso.de/pdf/DSO_JB2008_deutsch.pdf

International Society for Heart and Lung Transplantation (ISHLT). Introduction/General Statistics. 2008a. www.isHLT.org/downloadables/introduction.ppt

International Society for Heart and Lung Transplantation (ISHLT). Overall Lung and Adult Lung Transplantation Statistics. 2008b. www.isHLT.org/downloadables/introduction.ppt

Lynch JP III, Saggarr R, Weigt SS, Ross DJ, Belperio JA. Overview of lung transplantation and criteria for selection of candidates. *Semin Respir Crit Care Med* 2006; 27 (5): 441-469.

Lebertransplantation

Adam R, McMaster P, O'Grady JG, Castaing D, Klempnauer JL, Jamieson N, Neuhaus P, Lerut J, Salizzoni M, Pollard S, Muhlbacher F, Rogiers X, Garcia Valdecasas JC, Berenguer J, Jaeck D, Moreno GE. Evolution of liver transplantation in Europe: report of the European Liver Transplant Registry. *Liver Transpl* 2003; 9 (12): 1231-1243.

Bramhall SR, Minford E, Gunson B, Buckels JA. Liver transplantation in the UK. *World J Gastroenterol* 2001; 7 (5): 602-611.

Burroughs AK, Sabin CA, Rolles K, Delvart V, Karam V, Buckels J, O'Grady JG, Castaing D, Klempnauer J, Jamieson N, Neuhaus P, Lerut J, de Ville dG, Pollard S, Salizzoni M, Rogiers X, Muhlbacher F, Garcia Valdecasas JC, Broelsch C, Jaeck D, Berenguer J, Gonzalez EM, Adam R. 3-month and 12-month mortality after first liver transplant in adults in Europe: predictive models for outcome. *Lancet* 2006; 367 (9506): 225-232.

Busuttil RW, Goss JA. Split liver transplantation. *Ann Surg* 1999; 229 (3): 313-321.

Deutsche Stiftung Organtransplantation (DSO). Organspende und Transplantation in Deutschland. Jahresbericht 2008. 2009. www.dso.de/pdf/DSO_JB2008_deutsch.pdf

Eurotransplant International Foundation (ET). Annual Report 2008. 2009. www.eurotransplant.nl/files/annual_report/ar_2008.pdf

Makuuchi M, Sano K. The surgical approach to HCC: our progress and results in Japan. *Liver Transpl* 2004; 2 (Suppl 1): S46-S52.

Poon RT, Fan ST. Hepatectomy for hepatocellular carcinoma: patient selection and postoperative outcome. *Liver Transpl* 2004; 2 (Suppl 1): S39-S45.

United Network for Organ Sharing (UNOS). 2008 Annual Report of the U.S. Organ Procurement and Transplantation Network and the Scientific Registry of Transplant Recipients: Transplant Data 1997-2006. Health Resources and Services Administration, Healthcare Systems Bureau, Division of Transplantation, Rockville, MD. 2009. www.ustransplant.org/annual_reports/current/data_tables.htm

Wiesner R, Edwards E, Freeman R, Harper A, Kim R, Kamath P, Kremers W, Lake J, Howard T, Merion RM, Wolfe RA, Krom R. Model for end-stage liver disease (MELD) and allocation of donor livers. *Gastroenterology* 2003; 124 (1): 91-96.

Leberlebenspende

Bröring DC, Rogiers X. Leber-Lebenspende-Transplantation. *Viszeralchirurgie* 2004; 39: 483-494.

Eurotransplant International Foundation (ET). Annual Report 2008. 2009. www.eurotransplant.nl/files/annual_report/ar_2008.pdf

Fan ST, Lo CM, Liu CL, Yong BH, Chan JK, Ng IO. Safety of donors in live donor liver transplantation using right lobe grafts. *Arch Surg* 2000; 135 (3): 336-340.

Grewal HP, Thistlewaite JR Jr, Loss GE, Fisher JS, Cronin DC, Siegel CT, Newell KA, Bruce DS, Woodlee ES, Brady L, Kelly S, Boone P, Oswald K, Millis JM. Complications in 100 living-liver donors. *Ann Surg* 1998; 228 (2): 214-219.

Marcos A. Right-lobe living donor liver transplantation. *Liver Transpl* 2000; 6 (Suppl 2): S59-S63.

Rinella ME, Alonso E, Rao S, Whittington P, Fryer J, Abecassis M, Superina R, Flamm SL, Blei AT. Body mass index as a predictor of hepatic steatosis in liver donors. *Liver Transpl* 2001; 7 (5): 409-414.

Settmacher U, Neuhaus P. Innovations in liver surgery through transplantation from living donors. *Chirurg* 2003; 74 (6): 536-546.

Shirabe K, Shimada M, Gion T, Hasegawa H, Takenaka K, Utsunomiya T, Sugimachi K. Postoperative liver failure after major hepatic resection for hepatocellular carcinoma in the modern era with special reference to remnant liver volume. *J Am Coll Surg* 1999; 188 (3): 304-309.

Tanaka K, Kiuchi T. Living-donor liver transplantation in the new decade: perspective from the twentieth to the twenty-first century. *J Hepatobiliary Pancreat Surg* 2002; 9 (2): 218-222.

Testa G, Malago M, Valentin-Gamazo C, Lindell G, Broelsch CE. Biliary anastomosis in living related liver transplantation using the right liver lobe: techniques and complications. *Liver Transpl* 2000; 6 (6): 710-714.

Nierentransplantation

Agence de la biomédecine. Bilan des activités de prélèvement et de greffe en France en 2007. Saint-Denis. 2008. www.agence-biomedecine.fr/annexes/bilan2007/pdf/bilan_greffe.pdf

Arend SM, Mallat MJ, Westendorp RJ, van der Woude FJ, van Es LA. Patient survival after renal transplantation; more than 25 years follow-up. *Nephrol Dial Transplant* 1997; 12 (8): 1672-1679.

Boom H, Mallat MJ, de Fijter JW, Zwinderman AH, Paul LC. Delayed graft function influences renal function, but not survival. *Kidney Int* 2000; 58 (2): 859-866.

Cecka JM. The UNOS Scientific Renal Transplant Registry. *Clin Transpl* 1999; 1-21.

Dantal J, Hourmant M, Cantarovich D, Giral M, Blanche G, Dreno B, Souillou JP. Effect of long-term immunosuppression in kidney-graft recipients on cancer incidence: randomized comparison of two cyclosporin regimens. *Lancet* 1998; 351 (9103): 623-628.

D'Alessandro AM, Sollinger HW, Knechtle SJ, Kalayoglu M, Kiskan WA, Uehling DT, Moon TD, Messing EM, Bruskewitz RC, Pirsch JD. Living related and unrelated donors for kidney transplantation. A 28-year experience. *Ann Surg* 1995; 222 (3): 353-362.

Deutsche Stiftung Organtransplantation (DSO). Organspende und Transplantation in Deutschland. Jahresbericht 2008. 2009. www.dso.de/pdf/DSO_JB2008_deutsch.pdf

Eurotransplant International Foundation (ET). Annual Report 2008. 2009. www.eurotransplant.nl/files/annual_report/ar_2008.pdf

Expert Group on Renal Transplantation (EBPG). European best practice guidelines for renal transplantation. Section IV: Long-term management of the transplant recipient. IV.13 Analysis of patient and graft survival. *Nephrol Dial Transplant* 2002; 17 (Suppl 4): 60-67.

First MR. Renal function as a predictor of long-term graft survival in renal transplant patients. *Nephrol Dial Transplant* 2003; 18 (Suppl 1): i3-i6.

Hariharan S, McBride MA, Cherikh WS, Tolleris CB, Bresnahan BA, Johnson CP. Post-transplant renal function in the first year predicts long-term kidney transplant survival. *Kidney Int* 2002; 62 (1): 311-318.

Kasiske BL, Andany MA, Hernandez D, Silikens J, Rabb H, McClean J, Roel JP, Danielson B. Comparing methods for monitoring serum creatinine to predict late renal allograft failure. *Am J Kidney Dis* 2001; 38 (5): 1065-1073.

Rodrigo E, Fernandez-Fresnedo G, Ruiz JC, Pinera C, Palomar R, Gonzalez-Cotorruelo J, Zubimendi JA, De Francisco AL, Sanz dC, Arias M. Similar impact of slow and delayed graft function on renal allograft outcome and function. *Transplant Proc* 2005; 37 (3): 1431-1432.

Salvadori M, Rosati A, Bock A, Chapman J, Dussol B, Fritsche L, Kliem V, Lebranchu Y, Oppenheimer F, Pohanka E, Tufveson G, Bertoni E. Estimated one-year glomerular filtration rate is the best predictor of long-term graft function following renal transplant. *Transplantation* 2006; 81 (2): 202-206.

United Network for Organ Sharing (UNOS). 2007 Annual Report of the U.S. Organ Procurement and Transplantation Network and the Scientific Registry of Transplant Recipients: Transplant Data 1997-2006. Section V: Kidney Tables. Health Resources and Services Administration, Healthcare Systems Bureau, Division of Transplantation, Rockville, MD. 2008. www.ustransplant.org/annual_reports/current/data_tables.htm

United States Renal Data System (USRDS). Annual Data Report 2006. Reference Tables: F: Transplantation outcomes. 144-190. www.usrds.org/2006/ref/F_tx_outcomes_06.pdf

Nierenlebenspende

Agence de la biomédecine. Bilan des activités de prélèvement et de greffe en France en 2007. Saint-Denis. 2008. www.agence-biomedecine.fr/annexes/bilan2007/pdf/bilan_greffe.pdf

D'Alessandro AM, Sollinger HW, Knechtle SJ, Kalayoglu M, Kiskan WA, Uehling DT, Moon TD, Messing EM, Bruskewitz RC, Pirsch JD. Living related and unrelated donors for kidney transplantation. A 28-year experience. *Ann Surg* 1995; 222 (3): 353-362.

Deutsche Stiftung Organtransplantation (DSO). Organspende und Transplantation in Deutschland. Jahresbericht 2008. 2009. www.dso.de/pdf/DSO_JB2008_deutsch.pdf

Eurotransplant International Foundation (ET). Annual Report 2008. 2009. www.eurotransplant.nl/files/annual_report/ar_2008.pdf

Fehrman-Ekholm I, Norden G, Lennerling A, Rizell M, Mjornstedt L, Wramner L, Olausson M. Incidence of end-stage renal disease among live kidney donors. *Transplantation* 2006; 82 (12): 1646-1648.

Fehrman-Ekholm I, Duner F, Brink B, Tyden G, Elinder CG. No evidence of accelerated loss of kidney function in living kidney donors: results from a cross-sectional follow-up. *Transplantation* 2001; 72 (3): 444-449.

Garg AX, Muirhead N, Knoll G, Yang RC, Prasad GV, Thiessen-Philbrook H, Rosas-Arellano MP, Housawi A, Boudville N. Proteinuria and reduced kidney function in living kidney donors: A systematic review, meta-analysis, and meta-regression. *Kidney Int* 2006; 70 (10): 1801-1810.

Gossmann J, Kachel HG, Nowak A, Geiger H, Jonas D, Jordan J, Scheuermann EH. Ergebnisse einer Nachuntersuchung von Nierenlebenspendern des Transplantationszentrums Frankfurt. *Hessisches Ärzteblatt* 2006; 10: 719-721.

Hartmann A, Fauchald P, Westlie L, Brekke IB, Holdaas H. The risk of living kidney donation. *Nephrol Dial Transplant* 2003; 18 (5): 871-873.

Kasike BL, Ma JZ, Louis TA, Swan SK. Long-term effects of reduced renal mass in humans. *Kidney Int* 1995; 48 (3): 814-819.

Najarian JS, Chavers BM, McHugh LE, Matas AJ. 20 years or more of follow-up of living kidney donors. *Lancet* 1992; 340 (8823): 807-810.

Patel S, Cassuto J, Orloff M, Tsoulfas G, Zand M, Kashyap R, Jain A, Bozorgzadeh A, Abt P. Minimizing morbidity of organ donation: analysis of factors for perioperative complications after living-donor nephrectomy in the United States. *Transplantation* 2008; 85 (4): 561-565.

Pessione F, Granger B. Repertoire de suivi des donneurs vivants d'organe, Bilan à un an. Pole Evaluation. *Agence de la biomedicine*. 2006.

Ramcharan T, Matas AJ. Long-term (20-37 years) follow-up of living kidney donors. *Am J Transplant* 2002; 2 (10): 959-964.

The Renal Association. United Kingdom Guidelines for Living Donor Kidney Transplantation: Risk to the donor. 2000: 17-22. www.cambridge-transplant.org.uk/program/renal/guidelines.htm

Thiel GT. SOLV-LN Mitgliederversammlung vom 24.3.2007 in Luzern: Aktuelles aus dem Lebendspenderregister. 2007. www.lebensspende.ch/files/Referat_Prof_Thiel_zu_aktuellem_aus_lebenspender_register_31_3_07.pdf

Thiel GT, Nolte C, Tsinalis D. Das Schweizer Lebendspender-Gesundheitsregister (SOL-DHR). *Ther Umsch* 2005; 62 (7): 449-457.

Tooher RL, Rao MM, Scott DF, Wall DR, Francis DM, Bridgewater FH, Maddern GJ. A systematic review of laparoscopic live-donor nephrectomy. *Transplantation* 2004; 78 (3): 404-414.

United Network for Organ Sharing (UNOS). 2007 Annual Report of the U.S. Organ Procurement and Transplantation Network and the Scientific Registry of Transplant Recipients: Transplant Data 1997-2006. Health Resources and Services Administration, Healthcare Systems Bureau, Division of Transplantation, Rockville, MD. 2008. www.ustransplant.org/annual_reports/current/data_tables.htm

Westlie L, Leivestad T, Holdaas H, Lien B, Meyer K, Fauchald P. Report from the Norwegian National Hospitals Living Donor Registry: one-year data, January 1, 2002. *Transplant Proc* 2003; 35 (2): 777-778.

Pankreas- und Pankreas-Nierentransplantation

Andreoni KA, Brayman KL, Guidinger MK, Sommers CM, Sung RS. Kidney and pancreas transplantation in the United States, 1996-2005. *Am J Transplant* 2007; 7 (5 Pt 2): 1359-1375.

Bechstein WO. Long-term outcome of pancreas transplantation. *Transplant Proc* 2001; 33 (1-2): 1652-1654.

Burke GW, Ciancio G, Sollinger HW. Advances in pancreas transplantation. *Transplantation* 2004; 77 (9 Suppl): S62-S67.

The Diabetes Control and Complications Trial (DCCT) Research Group. The effect of intensive treatment of diabetes on the development and progression of long-term complications in insulin-dependent diabetes mellitus. *N Engl J Med* 1993; 329 (14): 977-986.

Drognitz O, Hopt UT. Aktueller Stand der Pankreastransplantation: Indikation, operative Technik, Immunsuppression, Komplikationen und Ergebnisse. *Zentralbl Chir* 2003; 128 (10): 821-830.

Eurotransplant International Foundation (ET). Annual Report 2008, 2009. www.eurotransplant.nl/files/annual_report/ar_2008.pdf

Gruessner AC, Sutherland DE. Pancreas transplant outcomes for United States (US) and non-US cases as reported to the United Network for Organ Sharing (UNOS) and the International Pancreas Transplant Registry (IPTR) as of June 2004. *Clin Transplant* 2005; 19 (4): 433-455.

Humar A, Ramcharan T, Kandaswamy R, Gruessner RW, Gruessner AC, Sutherland DE. Technical failures after pancreas transplants: why grafts fail and the risk factors – a multivariate analysis. *Transplantation* 2004; 78 (8): 1188-1192.

Ojo AO, Meier-Kriesche HU, Hanson JA, Leichtman A, Magee JC, Cibrik D, Wolfe RA, Port FK, Agodoa L, Kaufman DB, Kaplan B. The impact of simultaneous pancreas-kidney transplantation on long-term patient survival. *Transplantation* 2001; 71 (1): 82-90.

Prieto M, Sutherland DE, Goetz FC, Rosenberg ME, Najarian JS. Pancreas transplant results according to the technique of duct management: bladder versus enteric drainage. *Surgery* 1987; 102 (4): 680-691.

Schäffer M, Wunsch A, Michalski S, Traska T, Schenker P, Viebahn R. Morbidität und Letalität der Nieren- und Pankreastransplantation. Single-Center-Analyse von 810 Transplantationen. *Dtsch Med Wochenschr* 2007; 132 (44): 2318-2322.

Smets YF, Westendorp RG, van der Pijl JW, de Charro FT, Ringers J, de Fijter JW, Lemkes HH. Effect of simultaneous pancreas-kidney transplantation on mortality of patients with type-1 diabetes mellitus and end-stage renal failure. *Lancet* 1999; 353 (9168): 1915-1919.

Sutherland DE, Gruessner RW, Dunn DL, Matas AJ, Humar A, Kandaswamy R, Mauer SM, Kennedy WR, Goetz FC, Robertson RP, Gruessner AC, Najarian JS. Lessons learned from more than 1,000 pancreas transplants at a single institution. *Ann Surg* 2001; 233 (4): 463-501.

Literaturverzeichnis

Tan M, Kandaswamy R, Sutherland DE, Gruessner RW, Gruessner AC, Humar A. Risk factors and impact of delayed graft function after pancreas transplants. *Am J Transplant* 2004; 4 (5): 758-762.

Troppmann C, Gruessner AC, Dunn DL, Sutherland DE, Gruessner RW. Surgical complications requiring early re-laparotomy after pancreas transplantation: a multivariate risk factor and economic impact analysis of the cyclosporine era. *Ann Surg* 1998; 227 (2): 255-268.

United Network for Organ Sharing (UNOS). 2007 Annual Report of the U.S. Organ Procurement and Transplantation Network and the Scientific Registry of Transplant Recipients: Transplant Data 1997-2006. Health Resources and Services Administration, Healthcare Systems Bureau, Division of Transplantation, Rockville, MD 2008. www.ustransplant.org/annual_reports/current/all_data_tables.htm

Venstrom JM, McBride MA, Rother KI, Hirshberg B, Orchard TJ, Harlan DM. Survival after pancreas transplantation in patients with diabetes and preserved kidney function. *JAMA* 2003; 290 (21): 2817-2823.

Waki K, Terasaki PI. Kidney graft and patient survival with and without a simultaneous pancreas utilizing contralateral kidneys from the same donor. *Diabetes Care* 2006; 29 (7): 1670-1672.

Wlczek HE, Jaremko G, Tyden G, Groth CG. Pancreatic graft protects a simultaneously transplanted kidney from developing diabetic nephropathy: a 1- to 6-year follow-up study. *Transplant Proc* 1993; 25 (1 Pt 2): 1314-1315.

Gynäkologie und Geburtshilfe

Geburtshilfe

American College of Obstetricians and Gynecologists (ACOG). ACOG Committee Opinion No. 348, November 2006: Umbilical cord blood gas and acid-base analysis. *Obstet Gynecol* 2006; 108 (5): 1319-1322.

American College of Obstetricians and Gynecologists (ACOG). ACOG practice bulletin number 43, May 2003. Management of Preterm Labor. *Int J Gynecol Obstet* 2003; 82: 127-135.

American College of Obstetricians and Gynecologists (ACOG). ACOG committee opinion number 273, May 2002. Antenatal Corticosteroid Therapy for Fetal Maturation. *Int J Gynecol Obstet* 2002; 78: 95-97.

American College of Obstetricians and Gynecologists (ACOG). ACOG committee opinion. Inappropriate use of the terms fetal distress and birth asphyxia. Number 197, February 1998 (replaces no.137, April 1994). Committee on Obstetric Practice. American College of Obstetricians and Gynecologists (ACOG). *Int J Gynaecol Obstet* 1998; 61: 309-310.

Deutsche Gesellschaft für Gynäkologie und Geburtshilfe e.V. (DGGG). Mindestanforderungen an prozessuale, strukturelle und organisatorische Voraussetzungen für geburtshilfliche Abteilungen. *Deutsche Gesellschaft für Gynäkologie und Geburtshilfe e.V. (DGGG) (Hrsg.). Berlin. 2008.*

Deutsche Gesellschaft für Gynäkologie und Geburtshilfe e.V. (DGGG), Board für Pränatal- und Geburtsmedizin, Deutsche Gesellschaft für Perinatale Medizin (DGPM). Antenatale

Kortikosteroide zur Lungenreifung (ACS). *Deutsche Gesellschaft für Gynäkologie und Geburtshilfe e.V. (DGGG) (Hrsg.). Berlin. 2008.*

Deutsche Gesellschaft für Gynäkologie und Geburtshilfe (DGGG). Empfehlungen zum Vorgehen beim vorzeitigen Blasensprung. Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften (AWMF) [updated 2001 Aug]. www.uni-duesseldorf.de/AWMF/II/015-029.htm

Deutsche Gesellschaft für Gynäkologie und Geburtshilfe (DGGG). Mindestanforderungen an prozessuale, strukturelle und organisatorische Voraussetzungen für geburtshilfliche Abteilungen. Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften (AWMF). [updated 1995 Nov.]. www.uni-duesseldorf.de/WWW/AWMF/qs/qs-gyn02.htm

Gesellschaft für Neonatologie und Pädiatrische Intensivmedizin (GNPI). Diagnostik und Therapie der Bronchopulmonalen Dysplasie Frühgeborener. *AWMF-Leitlinien-Register Nr. 024/014 Entwicklungsstufe: 2. [updated 2003 Sep].*

Goldaber KG, Gilstrap LC III, Leveno KJ, Dax JS, McIntire DD. Pathologic fetal acidemia. *Obstet Gynecol* 1991; 78 (6): 1103-1107.

Hillemanns P, Hasbargen U, Strauss A, Schulze A, Genzel-Boroviczeny O, Hepp H. Maternal and neonatal morbidity of emergency caesarean sections with a decision-to-delivery interval under 30 minutes: evidence from 10 years. *Arch Gynecol Obstet* 2003; 268 (3): 136-141.

Korhonen J, Kariniemi V. Emergency cesarean section: the effect of delay on umbilical arterial gas balance and Apgar scores. *Acta Obstet Gynecol Scand* 1994; 73 (10): 782-786.

Leung AS, Leung EK, Paul RH. Uterine rupture after prevoius cesarean delivery: Maternal and fetal consequences. *Am J Obstet Gynecol* 1993; 169 (4): 945-950.

National Institutes of Health (NIH). Antenatal Corticosteroids Revisited: Repeat Courses. NIH Consensus Development Conference Statement 2000. www.consensus.nih.gov/2000/2000AntenatalCorticosteroidsRevisited112html.htm

National Institutes of Health (NIH). The Effect of Corticosteroids for Fetal Maturation on Perinatal Outcomes. NIH Consensus Development Conference Statement 1994. www.consensus.nih.gov/1994/1994AntenatalSteroidPerinatal095html.htm

Roberts D, Dalziel S. Antenatal corticosteroids for accelerating fetal lung maturation for women at risk of preterm birth (Review). *Cochrane Database Syst Rev* 2006; (3): CD004454.

Royal College of Obstetricians and Gynaecologists (RCOG). Antenatal Corticosteroids to Prevent Respiratory Distress Syndrome (7); 2004. www.rcog.org.uk/files/rcogcorp/uploaded-files/GT7AntenatalCorticosteroids2004.pdf

Gynäkologische Operationen

Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften (AWMF). Prophylaxe der venösen Thromboembolie (VTE). *AWMF-Leitlinien-Register Nr. 003/001. 2009.* www.uni-duesseldorf.de/AWMF/II/003-001.pdf

Boodt PJ, Snijders WP, Janknegt R. Single-dose prophylaxis in hysterectomies. An interim analysis. *Pharm Weekbl Sci* 1990; 12 (6A): 280-283.

Dhar KK, Dhall GI, Ayyagari A. Single dose tinidazole prophylaxis in vaginal hysterectomy. *Int J Gynaecol Obstet* 1993; 42 (2): 117-120.

Du Bois A, Rochon J, Lamparter C, Pfisterer J. Welchen Einfluss haben Klinikmerkmale auf die Prognose beim Ovarialkarzinom in Deutschland? *Zentralbl Gynakol* 2005; 127 (1): 18-30.

Evaldson GR, Frederici H, Jullig C, Mannerquist K, Nystrom B. Hospital-associated infections in obstetrics and gynecology. Effects of surveillance. *Acta Obstet Gynecol Scand* 1992; 71 (1): 54-58.

Geerts WH, Pineo GF, Heit JA, Bergquist D, Lassen MR, Colwell CW, Ray JG. Prevention of Venous Thromboembolism. *The Seventh ACCP Conference on Antithrombotic and Thrombolytic Therapy: Evidence-Based Guidelines*. *Chest* 2004; 126 (3 Suppl): 338S-400S.

Geraedts M, Reiter A. Evaluation der Qualitätsindikatoren in der operativen Gynäkologie sowie Empfehlungen für die Modifikation des Erhebungsbogens und der Indikatoren. *Gutachten im Auftrag der Geschäftsstelle Qualitätssicherung Hessen*. Heinrich-Heine-Universität, Düsseldorf. 2001.

Löfgren M, Sundström Poromaa I, Stjern Dahl JH, Renström B. Postoperativ infections and antibiotic prophylaxis for hysterectomy in Sweden: a study by the Swedish National Register for Gynaecologic Surgery. *Acta Obstet Gynecol Scand* 2004; 83: 1202-1207.

Mickal A, Curole D, Lewis C. Cefoxitin sodium: double-blind vaginal hysterectomy prophylaxis in premenopausal patients. *Obstet Gynecol* 1980; 56 (2): 222-225.

Mittendorf R, Aronson MP, Berry RE, Williams MA, Kupelnick B, Klickstein A, Herbst AL, Chalmers TC. Avoiding serious infections associated with abdominal hysterectomy: a meta-analysis of antibiotic prophylaxis. *Am J Obstet Gynecol* 1993; 169 (5): 1119-1124.

Nicolaides AN, Fareed J, Kakkar AK. Prevention and treatment of venous thromboembolism. International Consensus Statement (Guidelines according to scientific evidence). *Int Angiol* 2006; 25: 101-161.

Osmers R. Sonographic evaluation of ovarian masses and its therapeutic implications. *Ultrasound Obstet Gynecol* 1996; 8 (4): 217-222.

Mammachirurgie

Albert U-S. Stufe-3-Leitlinie Brustkrebs-Früherkennung in Deutschland, 1. Aktualisierung 2008. München. *Zuckschwerdt Verlag*; 2008.

Bundesgeschäftsstelle Qualitätssicherung gGmbH (BQS). Das QUALIFY-Instrument. Beschreibung und Anleitung. 2007. www.bqs-online.com/public/leistungen/qualify

Early Breast Cancer Trialists' Collaborative Group. Effects of chemotherapy and hormonal therapy for early breast cancer on recurrence and 15-year survival: an overview of the randomised trials. *Lancet* 2005a; 365 (9472): 1687-1717.

Early Breast Cancer Trialists' Collaborative Group. Effects of radiotherapy and of differences in the extent of surgery for early breast cancer on local recurrence and on 15-year survival: an overview of the randomised trials. *Lancet* 2005b; 366: 2087-2106.

Early Breast Cancer Trialists' Collaborative Group. Effects of radiotherapy and surgery in early breast cancer – An overview of the Randomized Trials. *N Engl J Med* 1995; 333 (22): 1444-1455.

Fisher B, Anderson S, Bryant J, Margolese RG, Deutsch M, Fisher ER, Jeong JH, Wolmark N. Twenty-year follow-up of a randomized trial comparing total mastectomy, lumpectomy, and lumpectomy plus irradiation for the treatment of invasive breast cancer. *N Engl J Med* 2002; 347 (16): 1233-1241.

Janni W. *Manual Mammakarzinome – Empfehlungen zur Diagnostik, Therapie und Nachsorge*. 11. überarbeitete Auflage. München. *Zuckschwerdt Verlag*; 2007.

Jatoi I, Proschan MA. Randomized Trials of Breast-Conserving Therapy Versus Mastectomy for Primary Breast Cancer – A Pooled Analysis of Updated Results. *American Journal of Clinical Oncology* 2005; 28 (3): 289-294.

Kreienberg R, Kopp I, Albert U, Bartsch HH, Beckmann MW, Berg D, Bick U, du Bois A, Budach W, Dunst J, Engel B, Ernst M, Geraedts M, Henschler U, Hölzel D, Jackisch C, König K, Kreipe H, Kühn T, Lebeau A, Leinung S, Link H-J, Lück H, Madjar H, Maiwald A, Maiwald G, Marschner N, Marx M, von Minckwitz G, Naß-Griegoleit I, Possinger K, Reiter A, Sauerbrei W, Schlake W, Schmutzler R, Schreer I, Schulte H, Schulz K-D, Souchon R, Thomssen C, Untch M, Wagner U, Weis J, Zemmler T. Interdisziplinäre S3-Leitlinie für die Diagnostik, Therapie und Nachsorge des Mammakarzinoms. *Deutsche Krebsgesellschaft e.V., Informationszentrum für Standards in der Onkologie (ISTO) (Hrsg.)*. Berlin. 2008.

Robert Koch-Institut (RKI), Gesellschaft der epidemiologischen Krebsregister in Deutschland e.V. (GEKID). Krebs in Deutschland 2003 - 2004. Häufigkeiten und Trends. 6. überarbeitete Auflage. *Robert Koch-Institut (RKI), Gesellschaft der epidemiologischen Krebsregister in Deutschland e.V. (Hrsg.)*. Berlin. 2008. www.ekr.med.uni-erlangen.de/GEKID/Doc/kid2008.pdf

Veronesi U, Cascinelli N, Mariani L, Greco M, Saccozzi R, Luini A, Aguilar M, Marubini E. Twenty-year follow-up of a randomized study comparing breast-conserving surgery with radical mastectomy for early breast cancer. *N Engl J Med* 2002; 347 (16): 1227-1232.

Orthopädie und Unfallchirurgie

Hüftgelenknahe Femurfraktur

Beck A, Rüter A. Therapiekonzepte bei Schenkelhalsfrakturen. Teil 1. *Chirurg* 2000; 71 (2): 240-248.

Bernasconi E, Francioli P. Empfehlungen zur perioperativen Antibiotikaprophylaxe. *Swiss NOSO* 2000; 7 (2).

Deutsche Gesellschaft für Unfallchirurgie (DGU). Leitlinien Unfallchirurgie. 2008. www.uni-duesseldorf.de/AWMF/II/012-001.htm

- Fransen M, Woodward M, Norton R, Robinson E, Butler M, Campbell AJ. Excess mortality or institutionalization after hip fracture: men are at greater risk than women. *J Am Geriatr Soc* 2002; 50 (4): 685-690.
- Gerber C, Strehle J, Ganz R. The treatment of fractures of the femoral neck. *Clin Orthop* 1993; (292): 77-86.
- Gillespie WJ, Walenkamp G. Antibiotic prophylaxis for surgery for proximal femoral and other closed long bone fractures (Review). *Cochrane Database Syst Rev* 2004; (2): CD000244.
- Lawrence VA, Hilsenbeck SG, Noveck H, Poses RM, Carson JL. Medical complications and outcomes after hip fracture repair. *Arch Intern Med* 2002; 162 (18): 2053-2057.
- Lofthus CM, Osnes EK, Falch JA, Kaastad TS, Kristiansen IS, Nordstletten L, Stensvold I, Meyer HE. Epidemiology of hip fractures in Oslo, Norway. *Bone* 2001; 29 (5): 413-418.
- Lu-Yao GL, Keller RB, Littenberg B, Wennberg JE. Outcomes after Displaced Fractures of the Femoral Neck. *J Bone Joint Surg* 1994; 76-A (1): 15-25.
- Luthje P, Nurmi I, Aho H, Honkanen P, Jokipii P, Kataja M, Kytomaa J, Nirhamo J, Pekkanen A, Rimpilainen J, Sihvonen R, Sinisaari I, Tulikoura I, Valtonen V. Single-dose antibiotic prophylaxis in osteosynthesis for hip fractures. A clinical multicentre study in Finland. *Ann Chir Gynaecol* 2000; 89 (2): 125-130.
- Majumdar SR, Beaupre LA, Johnston DW, Dick DA, Cinats JG, Jiang HX. Lack of association between mortality and timing of surgical fixation in elderly patients with hip fracture: results of a retrospective population-based cohort study. *Med Care* 2006; 44 (6): 552-559.
- Mangram AJ, Horan TC, Pearson ML, Silver LC, Jarvis WR. Guideline for prevention of surgical site infection, 1999. Hospital Infection Control Practices Advisory Committee. *Infect Control Hosp Epidemiol* 1999; 20 (4): 250-278.
- Masson M, Parker MJ, Fleischer S. Internal fixation versus arthroplasty for intracapsular proximal femoral fractures in adults (Review). *Cochrane Database Syst Rev* 2004; (2): CD001708.
- Mattke S, Kelley E, Scherer P, Hurst J, Laperta MLG and the HCQI Expert Group Members. Health Care Quality Indicator Project. Initial Indicators Report 22. OECD Health Working Papers. 2006. www.oecd.org/dataoecd/1/34/36262514.pdf
- Moran CG, Wenn RT, Sikand M, Taylor AM. Early mortality after hip fracture: is delay before surgery important? *J Bone Joint Surg Am* 2005; 87 (3): 483-489.
- Orosz GM, Magaziner J, Hannan EL, Morrison RS, Koval K, Gilbert M, McLaughlin M, Halm EA, Wang JJ, Litke A, Silberzweig SB, Siu AL. Association of timing of surgery for hip fracture and patient outcomes. *JAMA* 2004; 291 (14): 1738-1743.
- Parker MJ, Pryor GA, Myles J. 11-year results in 2.846 patients of the Peterborough Hip Fracture Project – Reduced morbidity, mortality and hospital stay. *Acta Orthop Scand* 2000; 71 (1): 34-38.
- Patchen Dellinger E, Gross PA, Barrett TL, Krause PJ, Martone WJ, McGowan JE, Sweet RL, Wenzel RP. Quality Standard for Antimicrobial Prophylaxis in Surgical Procedures. *Infection Control and Hospital Epidemiology* 1994; 15: 182-188.
- Petersen MB, Jorgensen HL, Hansen K, Duus BR. Factors affecting postoperative mortality of patients with displaced femoral neck fracture. *Injury* 2006; 37 (8): 705-711.
- Poulsen KB, Wachmann CH, Bremmelgaard A, Sørensen AI, Raahave D, Petersen JV. Survival of patients with surgical wound infection: a case-control study of common surgical interventions. *British Journal of Surgery* 1995; 82: 208-209.
- Richmond J, Aharonoff GB, Zuckerman JD, Koval KJ. Mortality Risk After Hip Fracture. *Journal of Orthopaedic Trauma* 2003; 17 (1): 53-56.
- Roberts SE, Goldacre MJ. Time trends and demography of mortality after fractured neck of femur in an English population, 1968-98: database study. *BMJ* 2003; 327: 771-775.
- Sanders KM, Seeman E, Ugoni AM, Pasco JA, Martin TJ, Skoric B, Nicholson GC, Kotowicz MA. Age- and gender-specific rate of fractures in Australia: a population-based study. *Osteoporos Int* 1999; 10 (3): 240-247.
- Scottish Intercollegiate Guidelines Network (SIGN). Antibiotic Prophylaxis in Surgery: A National Clinical Guideline. *SIGN Publication 104*. 2008. www.sign.ac.uk/pdf/sign104.pdf
- Scottish Intercollegiate Guidelines Network (SIGN). Prevention and Management of Hip Fracture in Older People. *SIGN Publication 56*. Oktober 2002. www.sign.ac.uk/pdf/sign56.pdf
- Smektala R, Grams A, Pientka L, Raestrup U. Leitlinie oder Landrecht bei der Versorgung der Schenkelhalsfraktur? Eine Analyse der Versorgungssituation in Nordrhein-Westfalen. *Dtsch Arztebl* 2008; 105 (16): 295-302.
- Smektala R, Wenning M, Luka M, Ekkernkamp A. Bilanz der Tracerdiagnose „Oberschenkelhalsfraktur“: Ein Bericht über 5 Jahre externe Qualitätssicherung. *Zentralblatt für Chirurgie* 2000; 125 (Suppl 2): 211-217.
- Trombetti A, Herrmann F, Hoffmeyer P, Schurch MA, Bonjour JP, Rizzoli R. Survival and potential years of life lost after hip fracture in men and age-matched women. *Osteoporos Int* 2002; 13 (9): 731-737.
- Verbeek DO, Ponsen KJ, Goslings JC, Heetveld MJ. Effect of surgical delay on outcome in hip fracture patients: a retrospective multivariate analysis of 192 patients. *Int Orthop* 2008; 32 (1): 13-18.
- Weller I, Wai EK, Jaglal S, Kreder HJ. The effect of hospital type and surgical delay on mortality after surgery for hip fracture. *J Bone Joint Surg Br* 2005; 87 (3): 361-366.
- Wissing H, Peterson T, Doht A. Risiko und Prognose hüftgelenknaher Frakturen. *Unfallchirurgie* 1996; 22: 74-84.

Hüft-Endoprothesen-Erstimplantation

Agency for Healthcare Research and Quality (AHRQ). Nationwide Inpatient sample. Healthcare Cost and Utilisation Project. *Agency for Healthcare Research and Quality, Rockville MD*. 2004. www.hcup.ahrq.gov/HUCPnet.asp

- American Society of Health-System Pharmacists (ASHP). ASHP Therapeutic guidelines on antimicrobial prophylaxis in surgery. www.ashp.org/DocLibrary/BestPractices/TG_Surgical.aspx
- Arbeitskreis Krankenhaushygiene der AWMF. Empfehlungen zur Hygiene in Klinik und Praxis. www.hygiene-klinik-praxis.de
- Bernasconi E, Francioli P. Empfehlungen zur perioperativen Antibiotikaprophylaxe. *Swiss NOSO 2000*; 7 (2): 9-16.
- Berry DJ, von Knoch M, Schleck CD, Harmsen WS. The Cumulative Long-Term Risk of Dislocation After Primary Charnley Total Hip Arthroplasty. *J Bone Joint Surg 2004*; 86-A (1): 9-14.
- Callaghan JJ. Orthopaedic knowledge update hip and knee reconstruction, developed by the Hip Society and the knee society. 1st ed. Philadelphia, Lippincott. Williams & Wilkins; 1995.
- Dellinger RP, Carlet J, Masur H, Gerlach H, Calandra T, Cohen J, Gea-Banacloche J, Keh D, Marshall JC, Parker MM, Ramsay G, Zimmerman JL, Vincent J-L, Levy MM. Surviving Sepsis Campaign guidelines for management of severe sepsis and septic shock. *Intensive Care Med 2004*; 30: 536-555.
- Dimick JB, Welch HG, Birkmeyer JD. Surgical mortality as an indicator of hospital quality: the problem with small sample size. *JAMA 2004*; 292 (7): 847-851.
- Judge A, Chard J, Learmonth I, Dieppe P. The effects of surgical volumes and training centre status on outcomes following total joint replacement: analysis of the Hospital Episode Statistics for England. *J Public Health 2006*; 28 (2): 116-124.
- Kellgren JH, Lawrence JS. Radiological Assessment of Osteo-Arthritis. *Annals of the Rheumatic Diseases 1957*; 16: 494-502.
- Khuri SF, Daley J, Henderson W, Hur K, Hossain M, Soybel D, Kizer K, Aust JB, Bell RH Jr, Chong V, Demakis J, Fabri PJ, Gibbs JO, Grover F, Hammermeister K, McDonald G, Passaro E Jr, Phillips L, Scamman F, Spencer J, Stremple JF, VA National Surgical Quality Improvement Program. Relation of surgical volume to outcome in eight common operations. *Annals of Surgery 1999*; 230 (3): 414-432.
- Kohn D, Rühmann O, Wirth CJ. Die Verrenkung der Hüfttotalendoprothese unter besonderer Beachtung verschiedener Zugangswege. *Z Orthop 1997*; 135: 40-44.
- Mahomed NN, Barrett JA, Katz JN, Phillips CB, Losina E, Lew RA, Guadagnoli E, Harris WH, Poss R, Baron JA. Rates and Outcomes of Primary and Revision Total Hip Replacement in the United States Medicare Population. *J Bone Joint Surg 2003*; 85-A (1): 27-32.
- Mangram AJ, Horan TC, Pearson ML, Silver LC, Jarvis WR. Guideline for Prevention of Surgical Site Infection, 1999. Centers for Disease Control and Prevention (CDC) Hospital Infection Control Practices Advisory Committee. *Am J Infect Control 1999*; 27 (2): 97-132.
- Masonis JL, Bourne RB. Surgical approach, abductor function, and total hip arthroplasty dislocation. *Clin Orthop 2002*; (405): 46-53.
- Merx H, Dreinhöfer K, Schröder P, Stürmer T, Puhl W, Günther K-P, Brenner H. International variation in hip replacement rates. *Ann Rheum Dis 2003*; 62: 222-226.
- Parvizi J, Johnson BG, Rowland C, Ereth MH, Lewallen DG. Thirty-day mortality after elective total hip arthroplasty. *J Bone Joint Surg Am 2001*; 83-A (10): 1524-1528.
- Phillips CB, Barrett JA, Losina E, Mahomed NN, Lingard EA, Guadagnoli E, Baron JA, Harris WH, Poss R, Katz JN. Incidence Rates of Dislocation, Pulmonary Embolism, and Deep Infection During the First Six Months After Elective Total Hip Replacement. *J Bone Joint Surg 2003*; 85-A (1): 20-26.
- Roder C, Parvizi J, Egli S, Berry DJ, Muller ME, Busato A. Demographic factors affecting long-term outcome of total hip arthroplasty. *Clin Orthop 2003*; (417): 62-73.
- Scottish Intercollegiate Guidelines Network (SIGN). Antibiotic Prophylaxis in Surgery: A National Clinical Guideline. *SIGN Publication 104. 2008. www.sign.ac.uk/pdf/sign104.pdf*
- Seagroatt V, Tan HS, Goldacre M, Bulstrode C, Nugent I, Gill L. Elective total hip replacement: incidence, emergency readmission rate, and postoperative mortality. *BMJ 1991*; 303 (6815): 1431-1435.
- Sharkey PF, Shastri S, Teloken MA, Parvizi J, Hozack WJ, Rothman RH. Relationship between surgical volume and early outcomes of total hip arthroplasty: do results continue to get better? *J Arthroplasty 2004*; 19 (6): 694-699.
- Sharrock NE, Cazan MG, Hargett MJ, Williams-Russo P, Wilson PD Jr. Changes in mortality after total hip and knee arthroplasty over a ten-year period. *Anesth Analg 1995*; 80 (2): 242-248.
- Stürmer KM. Leitlinien Unfallchirurgie. 2. unveränderte Auflage, Stuttgart. Georg Thieme Verlag; 1999.
- Valen B. [Luxation of hip prosthesis]. *Tidsskr Nor Laegeforen 2001*; 121 (26): 3054-3056.
- Woolson ST, Rahimtoola ZO. Risk Factors for Dislocation During the First 3 Months After Primary Total Hip Replacement. *The Journal of Arthroplasty 1999*; 14 (6): 662-668.
- Zhang W, Doherty M, Arden N, Bannwarth B, Bijlsma J, Gunther KP, Hauselmann HJ, Herrero-Beaumont G, Jordan K, Kaklamanis P, Leeb B, Lequesne M, Lohmander S, Mazieres B, Martin-Mola E, Pavelka K, Pendleton A, Punzi L, Swoboda B, Varatojo R, Verbruggen G, Zimmermann-Gorska I, Dougados M, EULAR Standing Committee for International Clinical Studies Including Therapeutics (ESCI-SIT). EULAR evidence based recommendations for the management of hip osteoarthritis: report of a task force of the EULAR Standing Committee for International Clinical Studies Including Therapeutics (ESCI-SIT). *Ann Rheum Dis 2005*; 64 (5): 669-681.

Hüft-Endoprothesenwechsel und -komponentenwechsel

Horan F. Obesity and joint replacement. *J Bone Joint Surg Br 2006*; 88 (10): 1269-1271.

Johnsen SP, Sorensen HT, Lucht U, Soballe K, Overgaard S, Pedersen AB. Patient-related predictors of implant failure after primary total hip replacement in the initial, short- and

Literaturverzeichnis

long-terms. A nationwide Danish follow-up study including 36,984 patients. *J Bone Joint Surg Br* 2006; 88 (10): 1303-1308.

Katz JN, Losina E, Barrett J, Phillips CB, Mahomed NN, Lew RA, Guadagnoli E, Harris WH, Poss R, Baron JA. Association between hospital and surgeon procedure volume and outcomes of total hip replacement in the United States medicare population. *J Bone Joint Surg Am* 2001; 83-A (11): 1622-1629.

Kinkel S, Reissig W, Puhl W, Kessler S. Revision Total Hip Arthroplasty: The Influence of Gender and Age on the Perioperative Complication Rate. *Acta Chirurgiae Orthopaedicae et Traumatologiae Cechosl* 2003; 70: 269-273.

Mahomed NN, Barrett JA, Katz JN, Phillips CB, Losina E, Lew RA, Guadagnoli E, Harris WH, Poss R, Baron JA. Rates and Outcomes of Primary and Revision Total Hip Replacement in the United States Medicare Population. *J Bone Joint Surg* 2003; 85-A (1): 27-32.

McLaughlin JR, Lee KR. The outcome of total hip replacement in obese and non-obese patients at 10- to 18-years. *J Bone Joint Surg Br* 2006; 88 (10): 1286-1292.

Patel AD, Albrizio M. Relationship of body mass index to early complications in hip replacement surgery: Study performed at Hinchingbrooke Hospital, Orthopaedic Directorate, Huntingdon, Cambridgeshire. *Int Orthop* 2006; 31 (4): 439-443.

Saleh KJ, Celebrezze M, Kassim R, Dykes DC, Gioe TJ, Callaghan JJ, Salvati EA. Functional Outcome After Revision Hip Arthroplasty: A Metaanalysis. *Clinical Orthopaedics and related Research* 2003; (416): 254-264.

Skutek M, Bourne RB, Mac Donald SJ. International epidemiology of revision THR. *Current Orthopaedics* 2006; (20): 157-161.

Knie-Totalendoprothesen-Erstimplantation

Ayers DC, Dennis DA, Johanson NA, Pellegrini VD Jr. Common Complications of Total Knee Arthroplasty. *J Bone Joint Surg* 1997; 79-A (2): 278-311.

Dowsey MM, Kilgour ML, Santamaria NM, Choong PF. Clinical pathways in hip and knee arthroplasty: a prospective randomised controlled study. *Med J Aust* 1999; 170 (2): 59-62.

Mackay DC, Siddique MS. The results of revision knee arthroplasty with and without retention of secure cemented femoral components. *J Bone Joint Surg Br* 2003; 85 (4): 517-520.

Nationales Referenzzentrum für Surveillance von nosokomialen Infektionen (NRZ). KISS Krankenhaus-Infektions-Surveillance-System. Modul OP-KISS. Abschnitt Referenzdaten. 2008 www.nrz-hygiene.de/dwnld/200401_200812_OP_referenz.pdf

Saleh KJ, Dykes DC, Tweedie RL, Mohamed K, Ravichandran A, Saleh RM, Gioe TJ, Heck DA. Functional Outcome After Total Knee Arthroplasty Revision: A Meta-Analysis. *The Journal of Arthroplasty* 2002; 17 (8): 967-977.

Scottish Intercollegiate Guidelines Network (SIGN). Prophylaxis of Venous Thromboembolism. *SIGN Publication* 62. Oktober 2002. www.sign.ac.uk/guidelines/fulltext/62/index.html

Weaver F, Hynes D, Hopkinson W, Wixson R, Khuri S, Daley J, Henderson WG. Preoperative Risks and Outcomes of Hip and Knee Arthroplasty in the Veterans Health Administration. *The Journal of Arthroplasty* 2003; 18 (6): 693-708.

Knie-Endoprothesenwechsel und -komponentenwechsel

Callaghan JJ. Orthopaedic knowledge update Hip and knee reconstruction, developed by the Hip Society and the knee society. 1st ed. Philadelphia, Lippincott. Williams & Wilkins; 1995.

Dowsey MM, Kilgour ML, Santamaria NM, Choong PF. Clinical pathways in hip and knee arthroplasty: a prospective randomised controlled study. *Med J Aust* 1999; 170 (2): 59-62.

Mackay DC, Siddique MS. The results of revision knee arthroplasty with and without retention of secure cemented femoral components. *J Bone Joint Surg Br* 2003; 85 (4): 517-520.

Saleh KJ, Dykes DC, Tweedie RL, Mohamed K, Ravichandran A, Saleh RM, Gioe TJ, Heck DA. Functional Outcome After Total Knee Arthroplasty Revision: A Meta-Analysis. *The Journal of Arthroplasty* 2002; 17 (8): 967-977.

Scottish Intercollegiate Guidelines Network (SIGN). Prophylaxis of Venous Thromboembolism. *SIGN Publication* 62. Oktober 2002. www.sign.ac.uk/guidelines/fulltext/62/index.html

Pflege Dekubitusprophylaxe

Agency for Healthcare Research and Quality (AHRQ). AHRQ Quality Indicators. Guide to Patient Safety Indicators. Version 3.1, 2007. www.qualityindicators.ahrq.gov/downloads/psi/psi_guide_v31.pdf

Centrum voor Ziekenhuis- en Verplegingswetenschap, (CZV). K.U.Leuven. Navigator®. 2009. www.navigator.czv.be/

Deutsches Netzwerk für Qualitätssicherung in der Pflege (DNQP). Expertenstandard Förderung der Harnkontinenz in der Pflege. *Deutsches Netzwerk für Qualitätssicherung in der Pflege (DNQP) (Hrsg.) Osnabrück. 2006.*

Deutsches Netzwerk für Qualitätssicherung in der Pflege (DNQP). Expertenstandard Sturzprophylaxe in der Pflege. *Deutsches Netzwerk für Qualitätssicherung in der Pflege (DNQP) (Hrsg.) Osnabrück. 2005.*

Deutsches Netzwerk für Qualitätsentwicklung in der Pflege (DNQP). Expertenstandard Dekubitusprophylaxe in der Pflege. *Deutsches Netzwerk für Qualitätssicherung in der Pflege (DNQP) (Hrsg.) Osnabrück. 2004a.*

Deutsches Netzwerk für Qualitätssicherung in der Pflege (DNQP). Expertenstandard: Schmerzmanagement in der Pflege. *Deutsches Netzwerk für Qualitätssicherung in der Pflege (DNQP) (Hrsg.) Osnabrück. 2004b.*

Deutsches Netzwerk für Qualitätsentwicklung in der Pflege (DNQP). Expertenstandard: Entlassungsmanagement in der Pflege. *Deutsches Netzwerk für Qualitätssicherung in der Pflege (DNQP) (Hrsg.) Osnabrück. 2002.*

International Quality Indicator Project (IQIP). List of all indicators. 2002. www.internationalqip.com/indicators.aspx

Kristensen S, Mainz J, Bartels P. Catalogue of Patient Safety Indicators. Safety Improvement for Patients in Europe:

SimPATIE – Work Package 4. *European Society for Quality in Healthcare (ESQH) (Hrsg.). Aarhus. 2007.*

Robert Koch-Institut (RKI). Dekubitus. *Gesundheitsberichterstattung des Bundes, Heft 12. Robert Koch-Institut (RKI) (Hrsg.). Berlin. 2002.*

Sachverständigenrat zur Begutachtung der Entwicklung im Gesundheitswesen (SVR). Vorschlag für die Entwicklung von Patientensicherheits-Indikatoren in Deutschland. In: *Sachverständigenrat zur Begutachtung der Entwicklung im Gesundheitswesen (SVR) (Hrsg.). Kooperation und Verantwortung: Voraussetzungen einer zielorientierten Gesundheitsversorgung. Gutachten 2007. Bonn; 2007: 505-516.*

Savitz LA, Jones CB, Bernard S. Quality indicators sensitive to nurse staffing in acute care settings. *Advances in patient safety: from research to implementation 2005; 4, AHRQ Agency for Healthcare Research and Quality: Programs, tools, and products: 375-385.*

Schoonhoven L, Bousema MT, Buskens E. The prevalence and incidence of pressure ulcers in hospitalised patients in the Netherlands: a prospective inception cohort study. *Int J Nurs Stud 2007; 44 (6): 927-935.*

Verein Outcome. Diagnoseunabhängige Messthemen für Outcome. 2005. www.vereinoutcome.ch/de/messungen/diagnoseunabhaengigemessthemen_b_qkriterien.asp

Risikoadjustierung in der Herzchirurgie

Bundesgeschäftsstelle Qualitätssicherung gGmbH (BQS). Neue Risikoadjustierung in der Koronarchirurgie: der KCH-Score. in: *Mohr VD, Bauer J, Döbler K, Eckert O, Fischer B, Woldenga C, (Hrsg.). Qualität sichtbar machen. BQS-Qualitätsreport 2004. Düsseldorf: BQS Bundesgeschäftsstelle Qualitätssicherung gGmbH; 2005; 46-49.*

Michel P, Roques F, Nashef SAM. Logistic or additive EuroSCORE for high-risk patients? *European Journal of Cardio-thoracic Surgery 2003; 23: 684-687.*

New York State Department of Health. Coronary Artery Bypass Surgery in New York State 1992 - 1994. 1996. www.health.state.ny.us

New York State Department of Health. Adult Cardiac Surgery in New York State 2003 - 2005. 2008. www.health.state.ny.us

Roques F, Nashef SAM, Michel P, Gauducheau E, de Vincentiis C, Baudet E, Cortina J, David M, Faichney A, Gabrielle F, Gams E, Harjula A, Jones MT, Pinna Pintor P, Salamon R, Thulin L. Risk factors and outcome in European cardiac surgery: analysis of the EuroSCORE multinational database of 19.030 patients. *European Journal of Cardio-thoracic Surgery 1999; 15: 816-823.*

Methoden

Ärztliche Zentralstelle Qualitätssicherung (ÄZQ) (Hrsg.). Beurteilung klinischer Messgrößen des Qualitätsmanagements – Qualitätskriterien und -Indikatoren in der Gesundheitsversorgung. *Konsepapier der Bundesärztekammer, der Kassensärztlichen Bundesvereinigung und der AWMF, Köln 2001.*

Brook RH, McGlynn EA, Cleary PD. Quality of health care. Part 2: measuring quality of care. *N Engl J Med 1996; 335 (13): 966-970.*

Bundesgeschäftsstelle Qualitätssicherung gGmbH (BQS). Das QUALIFY-Instrument: Beschreibung und Anleitung. 2007. www.bqs-online.com/public/leistungen/qualify

Joint Commission on Accreditation of Healthcare Organisations (JCAHO). Primer on indicator development and application. *Measuring quality in health care. Oakbrooke Terrace. Illinois; 1990.*

Kessner DM, Kalk CE, Singer J. Assessing health quality – the case for tracers. *N Engl J Med 1973; 288: 189-194.*

Mainz J. Defining and classifying clinical indicators for quality improvement. *Intern J Qual Health Care 2003; 15 (6): 523-530.*

Organisation for Economic Co-operation and Development (OECD) (Hrsg.). Health care quality indicator project. Conceptual framework paper. *OECD Health Working Papers No. 23. 2006.*

Sens B, Fischer B, Bastek A, Eckardt J, Kaczmarek D, Paschen U, Pietsch B, Rath S, Ruprecht T, Thomeczek C, Veit C, Wenzlaff P. Begriffe und Konzepte des Qualitätsmanagements - 3. Auflage. *GMS Med Inform Biom Epidemiol. 2007; 3(1): Doc05. Online verfügbar unter www.egms.de/en/journals/mibe/2007-3/mibe000053.shtml*

World Health Organization (WHO). Measuring hospital performance to improve the quality of care in europe: a need for clarifying the concepts and defining the main dimensions. *Report on a WHO workshop in Barcelona 2003. Kopenhagen. 2003.*

Bewertung und Nutzung der Ergebnisse

Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften (AWMF), Ärztliche Zentralstelle Qualitätssicherung (ÄZQ). Das Leitlinien-Manual von AWMF und ÄZQ: Entwicklung und Implementierung von Leitlinien in der Medizin. *Z ärztl Fortbild Qual sich (ZaeFQ) 2001; 95 (Suppl 1): 1-84.*

Booth JL, Collopy BT. A national clinical indicator database: issues of reliability and validity. *Aust Health Rev 1997; 20 (4): 84-95.*

Bundesgeschäftsstelle Qualitätssicherung gGmbH (BQS). Das QUALIFY-Instrument: Beschreibung und Anleitung. 2007. www.bqs-online.com/public/leistungen/qualify

Collopy BT. Clinical Indicators as a Stimulus to QA in Hospitals – An Early Report. *Intern J Qual Health Care 1994; 6 (4): 331-338.*

Kazandjian VA, Wood P, Lawthers J. Balancing Science and Practice in Indicator Development: The Maryland Hospital Association Quality Indicator (QI) Project®. *Intern J Qual Health Care 1995; 7 (1): 39-46.*

McGlynn EA. Choosing and Evaluating Clinical Performance Measures. *J Qual Improvement 1998; 24 (9): 470-479.*

Portelli R, Williams J, Collopy B. Using clinical indicators to change clinical practice. *J Qual Clin Pract 1997; 17 (4): 195-202.*

Reiter A, Fischer B, Kötting J, Geraedts M, Jäckel WH, Döbler K. QUALIFY: Ein Instrument zur Bewertung von Qualitätsindikatoren. *Z ärztl Fortbild Qual Gesundheitswes (ZaeFQ) 2008; 101 (10): 683-688.*